

## Fall 2024 - CS 111 - Exam 2 Reference

### 111template.cpp

```

/*---
  FIRST VERSION: for an "all-in-one-file" C++ program
  COPY this into a .cpp file in a folder within the CS50 IDE
  to compile: in a CS50 terminal that is open to the folder
    CONTAINING this .cpp file, type:

    g++ your-file-name.cpp -o your-file-name

  to run: in that same CS50 terminal that is open to the folder
    CONTAINING this .cpp file, type:

    ./your-file-name

  to redirect the program's output to a .txt file:
    in the same CS50 terminal that is open to the folder
    CONTAINING this .cpp file, type:

    ./your-file-name > desired-output-file.txt

  last modified: 2024-10-16
---*/
/*---
  by:
  last modified:
---*/
#include <cstdlib>
#include <iostream>
#include <string>
#include <cmath>
using namespace std;

/*--- PUT YOUR SIGNATURES, PURPOSES, TESTS, and FUNCTION DEFINITIONS HERE ---*/

/*---
  test the functions above
---*/

int main()
{
  cout << boolalpha;

  cout << "*** Testing: put name of your function here ***" << endl;

  // put each of your function's tests into a cout statement
  //   to print its result

  // cout << () << endl;
  // cout << () << endl;

  return EXIT_SUCCESS;
}

```

## Some string methods

The C++ string class includes a method **length**:

```
/*===
  method of class: string
  signature: length: void -> int
  purpose: expects nothing, and returns the number of characters in the
           calling string object
===*/
```

The C++ string class also includes a method **at**:

```
/*===
  method of class: string
  signature: at: int -> char
  purpose: expects the desired position within the calling string (where
           the position of the first character is 0), and returns the
           character at that position in the calling string as a char
===*/
```

The C++ string class also includes a method **substr**. There are actually two different `substr` methods, one that expects two arguments, and one that expects one argument. This is for the **two**-argument version:

```
/*===
  method of class: string
  signature: substr: int int -> string
  purpose: expects the starting desired position within the calling
           string (where the position of the first character is 0) and the
           length of the substring desired, and returns the substring of the
           calling string starting at that position of that length as a string
           (or until the end of the calling string if there aren't that many
           characters left)
===*/
```

Here is a description of the second **substr** method in the string class, the one that expects just **one** argument:

```
/*===
  method of class: string
  signature: substr: int -> string
  purpose: expects the starting desired position within the calling
           string (where the position of the first character is 0), and
           returns the substring of the calling string starting at that
           position and going until the end of the calling string.
===*/
```